

IN THE CLAIMS

Please amend the status of the claims as indicated below:

Claims 1-10 (canceled)

11. (new) A pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material, comprising:

a flange for welding onto a combipack or to a foil material of a container sealed with the foil material;

a rotatable combined lid and pouring nozzle;

a projecting rim projecting upwardly and being circular, said projecting rim including means for clipping said rotatable combined lid and pouring nozzle onto said projecting rim, thereby forming a piercing edge arrangement.

12. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 11, wherein said combined lid and pouring nozzle form a lid cap having a downwardly projecting rim that is clippable onto said projecting rim projecting upwardly on said flange with one part of said lid cap being openable from a lid surface around a swinging axis, so that at least one piercing cutter is formed on a lower side of said one part of said lip cap behind the swinging axis near an edge of said downwardly projecting rim with a piercing edge blade and a cutting edge projecting downward and foldable upwardly beyond a level of a bottom side of said flange and is further movable in a swung position via rotating said lid cap on said

projecting rim along the same.

13. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 12, wherein behind said one part of said cap lid, said one part being a first part, there is a second part of said cap lid that is openable in a contra-rotating swinging direction around a parallel swinging axis displaced from the swinging axis of said first part of said cap lid.

14. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 13, wherein said first part and said second part of said cap lid lying opposite one another are openable from a lid surface against each other, so that said cap lid forms a strap along a secant on whose two edges said first part and said second part that are openable.

15. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 11, wherein said combined lid and pouring nozzle form a cap lid having a downwardly projecting rim that is clippable on said projecting rim projecting upwardly on said flange and rotatable thereon, with at least one part of said cap lid being openable from a lid surface around a swinging axis, so that two piercing cutters are formed on a lower side of said one part of said cap lid being its swinging axis near an edge of said downwardly projecting rim of said cap lid with piercing edge blades being foldable beyond a level of a bottom side of said flange and movable in a swung position via rotating said cap lid on said projecting rim along the same.

16. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 15, wherein said two piercing cutters having said piercing edge blades formed on a lower side of said one part of said cap lid are openable so that, for said one part to open vertically to an upper side of said cap lid, a cutting edge of a first piercing edge blade of said two piercing edge blades develops a cutting action in a direction to a front side of said pouring out closure for a rotation of said lip cap in a counter-clockwise direction, thereby lying further removed from the swinging axis than a second piercing edge blade of said piercing edge blades directed backwards of said piercing edge blade of one piercing cutter of said two piercing cutting arranged oppositely thereto, thereby developing a cutting action, initially, in a direction to a rear side of said pouring out closure.

17. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 11, wherein a lid of said rotatable combined lid and pouring nozzle comprises a lid cap and a single-piece lid ring hanging on said lip cap via a band via engaging means.

18. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 11, wherein said rotatable combined lid and pouring nozzle is clippable on said projecting rim forms a lid cap having a downwardly projecting rim that is clippable onto said projecting rim projecting upwardly and being circular on said flange, wherein said projecting rim projecting upwardly and being circular has a bulge along its outer side running around its circumfer-

ence with said lip cap having a groove matching said bulge on an inner side of said downwardly projecting rim.

19. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 11, wherein said rotatable combined lid and pouring nozzle that is clippable onto said projecting rim projecting upwardly and being circular forms a pouring lip projecting radially from said projecting rim.

20. (new) The pouring out closure with a piercing edge arrangement for combi-packs or containers sealed with a foil material according to Claim 11, wherein said rotatable combined lid and pouring nozzle that is clippable onto said projecting rim projecting upwardly forms a cap lid having a downwardly projecting rim that is clippable onto said projecting rim projecting upwardly on said flange, said cap lid having one part that is openable from a lid surface, and that an outer lower rim of said first part forms a step, that fits with a complementary step on an upper rim of said projecting rim projecting upwardly on said flange, wherein a gripping groove is formed on a front side of, at least, said one part of said cap lid that overlaps said upper rim on its outer side projecting downwardly in a folding-up condition.